



IPV

Attorney's Docket: 061063-0305323  
Client Reference: OSP-14386

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re PATENT APPLICATION of: Confirmation Number: 6856  
NAMIKI

Application No.: 10/629,646 Group Art Unit: 2877

Filed: July 30, 2003 Examiner: Merlino, Amanda H.

For: FOCAL LENGTH MEASURING DEVICE

**Commissioner for Patents**  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT/RESPONSE TRANSMITTAL**

Transmitted herewith is an amendment/response for this application.

**FEES**

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

CLAIMS		HIGHEST NO.	PRESENT	RATE	ADDIT.	FEE
REMAINING	AFTER					
AMENDMENT	PAID FOR					
TOTAL	17	-	20	= 0	\$ 50.00	= \$ 0.00
INDEP.	3	-	3	= 0	\$ 200.00	= \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP.				+		
CLAIM				\$ 360.00	=	\$ 0.00
TOTAL ADDITIONAL CLAIM FEE					\$	0.00
GRAND TOTAL					\$	0.00

NAMIKI - - 10/629,646  
Attorney's Docket: 061063-0305323

## **FEE PAYMENT**

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: January 5, 2006

PILLSBURY WINTHROP SHAW PITTMAN LLP JOHN P. DARLING  
P.O. Box 10500 Reg. No. 44482  
McLean, VA 22102 Tel. No. 703 770.7745  
Tel. No. 703 770.7900  
Fax No. 703 770.7901

John P. Darling  
JOHN P. DARLING



Attorney Docket: 061063-0305323  
Client Reference: OSP-14386

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:  
NAMIKI

Confirmation Number: 6856

Application No.: 10/629,646

Group Art Unit: 2877

Filed: July 30, 2003

Examiner: Merlino, Amanda H.

Title: FOCAL LENGTH MEASURING DEVICE

AMENDMENT UNDER 37 C.F.R. §1.111

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In reply to the Office Action dated October 6, 2005, please amend the above-identified application as follows:

IN THE DRAWINGS:

Please replace Figure 13 with the attached replacement sheet of such figure.